

KLG, Klinik für Allgemein- und Viszeralchirurgie und Klinik für Innere Medizin

2020

Stefanie Noepel-Duennebacke^{1*}, Hendrik Juetten^{2*}, Inke Feder², Larissa Kluxen², Nadezhda Basara³, Wolfgang Hiller⁴, Torsten Herzog⁵, Renate Klaassen-Mielke⁶, Lothar Mueller⁷, Metin Senkal⁸, Lars Engel⁹, Christian Teschendorf¹⁰, Guido Trenn¹¹, Berlinda Verdoodt², Heiner Wolters¹², Waldemar Uhl⁵, Anke Reinacher-Schick^{1*}, Andrea Tannapfel^{2*}

High microsatellite instability (MSI-H) is associated with distinct clinical and molecular characteristics and an improved survival in early CC (CC); real life data from the AIO molecular registry, Colopredict Plus

Z Gastroenterol 2020; 58: 1–9

2019

Preclinical Efficacy of Covalent-Allosteric AKT Inhibitor Borussertib in Combination with Trametinib in -Mutant Pancreatic and Colorectal Cancer.

Weisner J, Landel I, Reintjes C, Uhlenbrock N, Trajkovic-Arsic M, Dienstbier N, Hardick J, Ladigan S, Lindemann M, Smith S, Quambusch L, Scheinpflug R, Depta L, Gontla R, Unger A, Müller H, Baumann M, Schultz-Fademrecht C, Günther G, Maghnouj A, Müller MP, Pohl M, Teschendorf C, Wolters H, Viebahn R, Tannapfel A, Uhl W, Hengstler JG, Hahn SA, Siveke JT, Rauh D
Cancer Res. 2019;79(9): 2367-2378

2018

Barbara Suwelack* , Viktoriya Wörmann, Klaus Berger, Joachim Gerß, Heiner Wolters, Frank Vitinius, Markus Burgmer for the German SoLKiD consortium
Investigation of the physical and psychosocial outcomes after living kidney donation - a multicenter cohort study (SoLKiD - Safety of Living Kidney Donors)
BMC Nephrology (2018) 19:83

2017

Wolff Schmiegel^{1,*}, Rodney J. Scott^{2,3,4,*}, Susan Dooley², Wendy Lewis², Cliff J. Meldrum², Peter Pockney^{4,5}, Brian Draganic^{4,5}, Steve Smith^{4,5}, Chelsee Hewitt⁶, Hazel Philimore⁶, Amanda Lucas⁶, Elva Shi⁶, Kateh Namdarian⁶, Timmy Chan⁶, Danilo Acosta⁶, Su Ping-Chang⁶, Andrea Tannapfel⁷, Anke Reinacher-Schick⁸, Waldemar Uhl⁹, Christian Teschendorf¹⁰, Heiner Wolters¹¹, Josef Stern¹¹, Richard Viebahn¹², Helmut Friess¹³, Klaus-Peter Janssen¹³, Ulrich Nitsche¹³, Julia Slotta-Huspenina¹⁴, Michael Pohl¹, Deepak Vangala^{1,15}, Alexander Baraniskin¹, Barbara Dockhorn-Dworniczak^{16,17}, Susanne Hegewisch-Becker¹⁸, Philippe Ronga¹⁹, Daniel L. Edelstein²⁰, Frederick S. Jones²⁰, Stephan Hahn^{15,**} and Stephen B. Fox^{6,**}
Blood-based detection of RAS mutations to guide anti-EGFR therapy in colorectal cancer patients: concordance of results from circulating tumor DNA and tissue-based RAS testing
Mol Oncol. 2017 Feb;11(2):208-219. doi: 10.1002/1878-0261.12023. Epub 2017 Jan 20.

H. Wolters

Neue chirurgische Therapieverfahren bei komplexer Lebermetastasierung
Chirurgische praxis 82, 213–218 (2017)

H Wolters, D. Palmes

Schraubenlagerung. IN: Patientenlagerung im OP. Hrsg.: Schmidt-Bräkling, T, Pohl U, Gosheger G, van Aken, H.; Thieme Verlag ISBN 978-3-13-165911-8 2017. S.91-94

C. Lenschow, H Wolters

Strumalagerung. IN: Patientenlagerung im OP. Hrsg.: Schmidt-Bräkling, T, Pohl U, Gosheger G, van Aken, H.; Thieme Verlag ISBN 978-3-13-165911-8 2017. S.74-77

2016

Hahnenkamp K, Böhler K, Wolters H, Wiebe K, Schneider D, Schmidt HHJ.
Organ protective intensive care in organ donors.

Dtsch Ärztebl Int 2016; 113:552-8. DOI:10.3238/arztebl.2016.0552

Thomusch O1, Wiesener M2, Opgenoorth M3, Pascher A4, Woitas RP5, Witzke O6, Jaenigen B1, Rentsch M7, Wolters H8, Rath T9, Cingöz T10, Benck U11, Banas B12, Hugo C13.

Rabbit-ATG or basiliximab induction for rapid steroid withdrawal after renal transplantation (Harmony): an open-label, multicentre, randomised controlled trial.

Lancet. 2016 Dec 17;388(10063):3006-3016. doi: 10.1016/S0140-6736(16)32187-0. Epub 2016 Nov 19.

Volker Assfalg^{1,2,*}, Norbert Hüser^{1,2,*}, Marieke van Meel³, Bernhard Haller⁴, Axel Rahmel³, Jan de Boer³, Edouard Matevossian^{1,2}, Alexander Novotny^{1,2}, Noël Knops⁵, Laurent Weekers⁶, Helmut Friess², Johann Pratschke⁷, Reinhold Függer⁸, Otmar Janko⁹, Susanne Rasoul-Rockenschaub¹⁰, Jean-Louis Bosmans¹¹, Nilufer Broeders¹², Patrick Peeters¹³, Michel Mourad¹⁴, Dirk Kuypers¹⁵, Jasna Slaviček¹⁶, Anja Muehlfeld¹⁷, Florian Sommer¹⁸, Richard Viebahn¹⁹, Andreas Pascher²⁰, Markus van der Giet²¹, Frans Zantvoort²², Rainer P. Woitas²³, Juliane Putz²⁴, Klaus Grabitz²⁵, Andreas Kribben²⁶, Ingeborg Hauser²⁷, Przemyslaw Pisarski²⁸, Rolf Weimer²⁹, Thomas Lorf³⁰, Paola Fornara³¹, Christian Morath³², Björn Nashan³³, Frank Lehner³⁴, Volker Kliem³⁵, Urban Sester³⁶, Marc-Oliver Grimm³⁷, Thorsten Feldkamp³⁸, Robert Kleinert³⁹, Wolfgang Arns⁴⁰, Christian Mönch⁴¹, Markus Bo Schoenberg⁴², Martin Nitschke⁴³, Bernd Krüger⁴⁴, Stefan Thorban¹, Helmut P. Arbogast⁴⁵, **Heiner H. Wolters**⁴⁶, Tanja Maier⁴⁷, Jens Lutz⁴⁸, Katharina Heller⁴⁹, Bernhard Banas⁵⁰, Oliver Hakenberg⁵¹, Martin Kalus⁵², Silvio Nadalin⁵³, Frieder Keller⁵⁴, Kai Lopau⁵⁵, Frederike José Bemelman⁵⁶, Shaikh Nurmohamed⁵⁷, Jan-Stephan Sanders⁵⁸, Johan W. de Fijter⁵⁹, Maarten Christiaans⁶⁰, Luuk Hilbrands⁶¹, Michiel Betjes⁶², Arjan van Zuilen⁶³ and Uwe Heemann^{1,64}

High-urgency kidney transplantation in the Eurotransplant

Kidney Allocation System: success or waste of organs? The Eurotransplant 15-year all-centre survey

Nephrol Dial Transplant 2016; 0: 1–8

Geissler EK, Schnitzbauer AA, Zülke C, Lamby PE, Proneth A, Duvoux C, Burra P, Jauch KW, Rentsch M, Ganten TM, Schmidt J, Settmacher U, Heise M, Rossi G, Cillo U, Kneteman N, Adam R, van Hoek B, Bachellier P, Wolf P, Rostaing L, Bechstein WO, Rizell M, Powell J, Hidalgo E, Gugenheim J, **Wolters H**, Brockmann J, Roy A, Mutzbauer I, Schlitt A, Beckebaum S, Graeb C, Nadalin S, Valente U, Sánchez Turrión V, Jamieson N, Scholz T, Colledan M, Fändrich F, Becker T, Söderdahl G, Chazouillères O, Mäkisalo H, Pageaux GP, Steininger R, Soliman T, de Jong KP, Pirenne J, Margreiter R, Pratschke J, Pinna AD, Hauss J, Schreiber S, Strasser S, Klempnauer J, Troisi RI, Bhooi S, Lerut J, Bilbao I, Klein CG, Königsrainer A, Mirza DF, Otto G, Mazzaferro V,

Neuhaus P, Schlitt HJ.

Sirolimus use in liver transplant recipients with hepatocellular carcinoma: A randomized, multicenter, open-label phase 3 trial.

Transplantation 2016; 100(1):116-125.

Thölking, G.Schmidt, C, Koch R, Schuette-Nuetgen K, Pabst D, Wolters H, Kabar I.

Influence of tacrolimus metabolism rate on BKV infection after kidney transplantation.

Sci. Rep. 6, 32273; doi: 10.1038/srep32273 (2016).

Gerold Thölking , Lea Siats , Christian Fortmann , Raphael Koch ,Anna Hüsing , Vito R. Cicinnati , Hans Ulrich Gerth , Heiner H. Wolters , Christoph Anthoni , Hermann Pavenstädt , Barbara Suwelack , Hartmut H. Schmidt , Iyad Kabar

Tacrolimus Concentration/Dose Ratio is Associated with Renal Function After Liver Transplantation
Ann Transplant, 2016; 21: 167-179 DOI: 10.12659/AOT.895898

Claudia Sommerer¹, Klemens Budde², Martin Zeier¹, Rudolf P. Wüthrich³, Petra Reinke⁴, Ute Eisenberger⁵, Anja Mühlfeld⁶, Wolfgang Arns⁷, Rolf Stahl⁸, Katharina Heller⁹, **Heiner H. Wolters¹⁰**, Barbara Suwelack¹¹, Hans Ulrich Klehr¹², Ingeborg A. Hauser¹³, Manfred Stangl¹⁴, Silvio Nadalin¹⁵, Michael Dürr², Martina Porstner¹⁶, Christoph May¹⁶, Peter Wimmer¹⁶, Oliver Witzke¹⁷, and Frank Lehner¹⁸ on behalf of the ZEUS Study Investigators

Early conversion from cyclosporine to everolimus following living-donor kidney transplantation: outcomes at 5 years posttransplant in the randomized ZEUS trial

Clinical Nephrology, DOI 10.5414/CN108726

2015

Vogel T, Utech M, Schmidt F, Holscher Keplin W, Diller R, Brockmann J, Wolters H.

Double-J Versus External Ureteral Stents in Kidney Transplantation: A Retrospective Analysis.

Nephrourol Mon. 2015 Jul 29;7(4):e27820.

Dhayat SA, Hüsing A, Senninger N, Schmidt HH, Haier J, Wolters H*, Kabar I*.

Circulating microRNA-200 Family as Diagnostic Marker in Hepatocellular Carcinoma.

PLoS One. 2015 Oct 8;10(10):e0140066. doi: 10.1371/journal.pone.0140066. eCollection 2015.*: contributed equally

Hüsing A, Cicinnati VR, Maschmeier M, Schmidt HH, Wolters HH, Beckebaum S, Kabar I.

Complications after endoscopic sphincterotomy in liver transplant recipients: A retrospective single-centre study.

Arab J Gastroenterol. 2015 Jun;16(2):46-9. doi: 10.1016/j.ajg.2015.04.001. Epub 2015 Jul 9.

Five-year outcomes in kidney transplant patients converted from cyclosporine to everolimus: the randomized ZEUS study.

Budde K, Lehner F, Sommerer C, Reinke P, Arns W, Eisenberger U, Wüthrich RP, Mühlfeld A, Heller K, Porstner M, Veit J, Paulus EM, Witzke O; ZEUS Study Investigators.

Am J Transplant. 2015 Jan;15(1):119-28.

Lenschow C, Mardin W, Hummel R, Wolters H, Senninger N, Lindner K, Mees T

Procalcitonin a marker for anastomotic insufficiency after pancreatoduodenectomy?

Clinical laboratory 2015

Thölking G, Koch R, Pavenstädt H, Schuette-Nuetgen K, Busch V, Wolters H, Kelsch R, Reuter S, Suwelack B.

Antigen-Specific versus Non-Antigen-Specific Immunoabsorption in ABO-Incompatible Renal

Transplantation.
PLoS One. 2015 Jun 29;10(6):e0131465.

Sporns PB, Barth P, Wolters H, Schmedt A, Koehler M.
Ileumvarizen als seltene Ursache einer unteren gastrointestinalen Blutung
Fortschr Röntgenstr 2015; 187:487-489